Danby Wiske with Lazenby Parish Council

Clerk: Mrs J Sanders Tel: 01609 774662. E-mail: jansanders@outlook.com

15 September 2019

Notice is hereby given of the next meeting of Danby Wiske with Lazenby Parish Council, to be held on **THURSDAY 19 September 2019** at 8.00 pm in the Village Hall, Danby Wiske.

There will be a public session prior to the meeting & this will commence at 7.50 pm

AGENDA

- 1. To receive apologies
- 2. To confirm the minutes of the meeting held on 18 July 2019 as a true & correct record
- 3. To receive information on the following ongoing issues & decide further action where necessary
 - 3.1 Modification Order relating to the public footpath to the east of the village green
 - 3.2 Depositing of Parish Council minutes in the CRO.
 - 3.3 Hambleton District Council planning training for parish councils.
- 4. To receive a report on matters dealt with by the Clerk
- 5. Financial matters:
 - 5.1 To receive a bank reconciliation
 - 5.2 To decide the Parish Precept for 2020/21
- 6. To receive the following planning information.
 - 6.1 Demolition of existing dwelling & construction of a replacement dwelling at Ashwood refusal overturned on appeal
- 7. To receive a report on the Play Area including
 - 7.1 Maintenance of hedges
 - 7.2 Receipt of second set of goal posts & their siting
- 8. To receive Police Reports for August & September
- 9. To consider the Council's Standing Orders
- 10. To consider the provision of recycling waste bins on the green & a talk on recycling
- 11. To consider obstructions to driving sight-lines approaching the village from Northallerton
- 12. To consider the addition of links on the parish Facebook group page
- 13. To consider the following new correspondence received:
 - 13.1 Minutes of Hambleton District Council's Parish Liaison Meeting.
 - 13.2 Public survey on use of Tasers in North Yorkshire
- 14. To notify the clerk of matters for inclusion on the agenda of the next meeting
- 15. To confirm the date of the next meeting as Thursday 17 October 2019